



	<p><b>JEFL</b> (Female • male L-shaped adapter joint)</p> <p style="text-align: right;">M Brass (C3604) Thread JIS B0203 tapered thread for tube <math>R_{Rc}</math> (PT)</p> <p>Ⓜ Hexagonal holes bored at the tapered screw ②.</p>
	<p><b>JEFLR</b> (Female • male L-shaped adapter joint—Hexagonal hole type—)</p> <p style="text-align: right;">M Brass (C3604) Thread JIS B0203 tapered thread for tube <math>R_{Rc}</math> (PT)</p> <p>Ⓜ Hexagonal holes bored at the tapered screw ②.</p>

A	Hexagonal wrench socket		L	C	ℓ	① Rc(PT)	② R(PT)	Part Number	
	⊙ B	⊙ b						Type	No.
14	⊙ 6	—	35	12	9	1/8	1/8	JEFL	11
			37		11		1/4		12
17.5	⊙ 6	—	41	11	9	1/4	1/8		21
			43		11		1/4		22
22	⊙ 8	—	45	13	13	3/8	3/8	23	
	⊙ 6		48				11	1/4	32
	⊙ 8		50				13	3/8	33
14	⊙ 6	⊙ 6	35	12	9	1/8	1/8	JEFLR	11
17.5	⊙ 6	⊙ 6	47.3	15.3	11	1/4	1/4		22
22	⊙ 8	⊙ 8	56	18	13	3/8	3/8		33

	<p><b>JELF</b> (Adapter joint • 45° type)</p> <p style="text-align: right;">M Brass (C3604) Thread JIS B0203 tapered thread for tube <math>R_{Rc}</math> (PT)</p> <p>Ⓜ Note that JELF do not turn as LSNF. Ⓜ Hexagonal holes bored at the tapered screw ②.</p>
--	--

H	Hexagonal wrench socket ⊙ d	① Rc(PT)	② R(PT)	ℓ	L	Part Number	
						Type	No.
19	⊙ 6	1/8	1/8	10	30	JELF	11
	⊙ 8		1/4	12			12